



Polypro Constructions



Polypro Colors



Our U.L. approved polypropylene is woven in a multitude of colors as shown and in many popular widths. NWP's nylon series is used in various industries where strength and color vibrancy is important. Both fibers can be woven in special constructions.

Nylon Constructions



Nylon Colors



MIL SPEC – Additional Specs



G0002
Type I
Mil-T-43566
3/8" - 3"
Cotton



G0002
Type I
Name Tape
1"
Cotton



G0004
Type IIA
Mil-W-530
1/2" - 2"
Cotton



G0007
Type III
Mil-W-530
3/4" - 2"
Cotton



G0034
Type I, II, III
Mil-W-5665
9/16" - 1 1/4"
Cotton



G0302
Type I
Mil-T-43566
3/4" - 2"
Polyester



G0306
Type IIB
Mil-W-530
1"
Polyester



G0009
Type II
Mil-W-44049
3/4" - 4"
Polypropylene



G0017
Type I
Mil-W-44049
3/8" - 3"
Polypropylene



G0037
Type XVII
Mil-W-5665
1"
Cotton



G0041
Type III
Mil-T-5038
3/8" - 1 1/2"
Nylon



G0029
Mil-W-17337
1" - 2"
Nylon



G0042
Type IVA
Mil-T-5038
1"
Nylon



G0033
Type IA
Mil-W-4088
3/4"
Nylon



Type VIIC
Mil-W-4088
1 23/32"
Nylon



Type I Mil-W 4088 9/16" Nylon

Military and Industrial Webbing



12304
1"



17337
3/4" • 1" • 1 1/2"



5038 T3
1/2" • 3/4" • 1" • 1 1/2"



4088 T17
1"




4088 T2
9/16" • 3/4" • 1" • 1 1/4"



4088 T7
1 23/32"



4088 T8
1 23/32" • 2" • 2 1/4" • 3"



4088 T9
3"



24800
1 23/32"



4088 T12
1 23/32"



4088 T13
1 23/32"



4088 T10
1 23/32"



4088 T18
1"



5038 T4
1" • 1 1/2"



30292
1 23/32"



43668
3/4" • 1" • 1 1/2"



4088 T24
1 15/16"



4088 T26
1 3/4"



4088 T27
1 23/32"

Military and Industrial Webbing



4088 T28
2 1/4"




30430
1/2" to 1"



30462
1/2" to 1"




5625
1/2" to 1"



23223
1" • 1 3/4"



25361
1 23/32"



33002
2"



43668 T2
1 1/4"

Leash and Tack Webbing



32304
3/4" • 1"



32278
3/8" • 5/8" • 3/4" • 1"



32250
1 3/4"



32230
1 1/2" • 2"

Automotive Seatbelt



8233
2"



1228
1 1/2"



10956
3"

Polypropylene Webbing

Available in various colors and widths



WP02-heavy
2"



WP02-light
2"



Slit Film
2"

MIL SPEC CORDS



MIL-C-5040, Type 2A – Braided Nylon cord (without core)



MIL-C-5040, Type 3 – Braided Nylon Cord (with core)



MIL-B-371, Type 3 – Braided Cotton Cord (flat)(alternate polypropylene)



A-A-55093, Type 2, Class 2 – Braided Polyester Cord




1/4" MIL-C-5651, Type 3 – Braided Cotton Elastic Cord



7/32" MIL-C-43701, Type 1 – Braided Nylon or Text. Polyester Elastic Cord

Parachute Cord



A-A-1451	MIL-C-453	MIL-R-1670	MIL-B-371
A-A-50057	MIL-C-1145	MIL-R-1688	PIA-5040
A-A-52056	MIL-C-4232	MIL-R-17343	ECU-9
A-A-52088	MIL-C-5040	MIL-R-24049	
A-A-52094	MIL-C-5651	MIL-R-24050	MIL-T-713
A-A-55622	MIL-C-7515	MIL-R-24335	MIL-T-43435
	MIL-C-17183	MIL-R-24337	
TC 571	MIL-C-40088	MIL-R-24536	MIL-W-530
TR 571	MIL-C-43256	MIL-R-24537	MIL-W-4088
	MIL-C-43307	MIL-R-24677	
TR 605	MIL-C-43588	MIL-R-24730	MIL-Y-1140
TR 650	MIL-C-43678	MIL-R-24750	
	MIL-C-43701	MIL-R-30500	
TT 616	MIL-C-81104		
TT 871	MIL-C-83242		
TT 881	MIL-C-87129		